



MADE IN GERMANY

## CONTENTS

• Special adhesives and special cleaning agents	3
• FENOSOL® – special cleaning agents with the “UVA system”	4
• FENOSOL® assembly aids	5
• Special products and accessories	6
• Special adhesives and special cleaning agents for components made from aluminum	7
• The FENOSOL® program	11
• Notes	15

## Special adhesives and special cleaning agents “UV-stabilized” for components made from hard PVC plastic



### FENOPLAST® KF transparent FENOPLAST® KF white

Solvent bonding agent, quick-acting, for structural joints between hard PVC materials of all types  
- with SORBEX® 9 - for better weathering resistance  
- especially non-fading and weather-proof

Packing units: 200-gram tubes, 50 tubes per box



### FENOPLAST® PMMA adhesive

Solvent bonding agent, quick-acting, for structural joints between hard PVC and PMMA co-extruded profiles (polymethyl methacrylate) e.g. - TROCAL and GEALAN or laminated acrylic-films  
- RENOLIT

Packing units: 200-gram tubes, 50 tubes per box



### FENOPREN FD black

Special adhesive and rubber filler for facing and sealing beveled surfaces on glazing sealants (preferably pre-bonded using FENOPLAST® CA 5 instantaneous adhesive).

Packing units: 20 tubes per box



### FENOPLAST® CA 5 special superfast adhesive

For sealing profiles made from EPDM (APTK)  
- low-viscosity CA 5  
- high-viscosity CA 5 - VL

Packing units: 20-gram and 50-gram, 20 per box

### FENOPLAST® REPA - repair set

This two-component repair compound (liquid + powder) is intended for carrying out surface repairs on white hard PVC profiles. It is "plasto-elastic" and UV-stabilized. Its degree of "whiteness" can be set to match that of the profile system.

Packing units: as a set in a single box



### FENOSOL® - special cleaning agents with the "UVA system"

These various cleaning agents are intended for cleaning window profiles in production, assembly, and in the workshop. Weathering resistant and high antistatic properties.

Packing units: 1-liter can with metal pourer, 10 cans per box

#### FENOSOL® - S 5 "UVA"

Polishing and smoothing agent with a strong ingraining effect, for white profile surfaces; exclusively for use in production.

#### FENOSOL® - S 10 "UVA"

Cleaning agent with only slight surface-ingraining effect, for white profile surfaces; especially suitable for use in assembly; it is used to remove marking aids, rubber remnants, traces of adhesive, and generally for preparing the surfaces to be bonded.

#### FENOSOL® - S 20 "UVA"

No surface-ingraining effect. Suitable for all profile surfaces, for the final cleaning stage, in production and assembly; especially suitable for "RENOLIT" and acrylic coatings.

### FENOSOL® special cleaning agents

Free from chlorinated hydrocarbons.

Packing units: 10-liter can, 30-liter can, also available in drums on request



### FENOFLEX bending agent

Special liquid for reshaping window and door profiles in hard PVC and decorative PVC (RENOLIT), with SORBEX® oxidation proofing.

Packing units: PE canister 35 kg, drum 265 kg



## FENOSOL® assembly aids



**FENOSOL® DUOTEC type 1**, for hard PVC, white  
**FENOSOL® DUOTEC type 2**, for DEKOR, RENOLIT, and acrylic surfaces.  
Special cleaning agents for "self adhering" cover strips and add-on profiles for exterior use, ideal preparation of the facing surfaces of frames.

Packing units: 200-ml round tin, 20 tins per box



### FENOSOL® hardware spray

Special servicing and maintenance agent for the hardware fittings and mechanical parts of windows and doors.

Product advantages: FENOSOL® hardware spray does not run off. Smooth movement, reduced wear, and corrosion-proofing thanks to "MOS".

Packing units: 500-ml spray tin, 12 tins per box



### FENOSOL® Primer for georgian bars

Special cleaner for "self adhering" georgian bars on glass surfaces on doors and windows.

Packing units: 500-ml PE bottle, 20 bottles per box



### FENOFLEX assembly spray

A useful aid when pulling in and fitting glazing and sealing profiles.

Packing units: 400-ml spray tin, 12 tins per box

Alternative: FENOFLEX without propellant in 1000-ml PE bottle

## Special products and accessories

### FENOPUR® 125

One component, polyurethane-based adhesive and sealant. Moisture curing.

For use in:

- metal and plastic processing
- ventilation and air-conditioning technology
- car-body, container, and vehicle construction

Packing units: 310-ml metal cartridge, 12 cartridges per box



### FENOPUR® 91

Quick-acting one-component assembly adhesive, based on polyurethane, solvent-free, for a wide range of applications especially suitable for sticking insulating and multiple-layer materials, composite sheets with rigid polystyrene (PS) foam.

Packing units: 1000-ml PE bottle, 15 bottles per box  
larger quantity containers available on request



### FENOSOL® economy moistener

Safety container (DGMa) complies with specifications laid down by the German Trade Inspection Office.

Contents: approx. 1.8 liters



### FENOCLEAN

Special cleaning tissues (pure cellulose) for all surfaces.

Per pack: 2 rolls, approx. 1500 sheets, dispenser roller, wall-mounting



## Special adhesives and special cleaning agents for components made from aluminum

Our special adhesives for corners and angles are solvent-free and thus suitable for use with "coated" and "anodized" profiles.



### FENOPUR® DUETT

Two-component polyurethane-based adhesive for metals, special area of use: sticking aluminum corner connectors made ready-for-use with a static mixer.

### FENOPUR® DUETT HS 5

Short pot life (just 5 minutes) and very quick hardening time.

### Compressed air gun

Type 1: operating pressure, maximum 6 bar, for 525-gram tandem cartridge  
Type 2: for 825-gram tandem cartridge


Packing units: 525-gram tandem cartridge  
825-gram tandem cartridge  
6 per box

### Hand gun

Type 3: for 525-gram and 825-gram tandem cartridge

### Static mixer

Per pack: 30 per box



### FENOPLAST® AL

Two-component epoxy-based adhesive for metals, especially for aluminum construction, sticking corner connectors; dosage by cartridge dispenser and then mixing of the two components.

Packing units: 450-gram PE cartridge, 20 cartridges per box  
1500-gram PE cartridge, 10 cartridges per box

### FENOPLAST® TANDEM doser-dispenser

Type 1: for 450-gram PE cartridge  
Type 2: wall-mounting, for 1500-gram PE cartridge



### FENOPLAST® color pigment paste

For coloring FENOPUR® DUETT and FENOPLAST® AL adhesives, quantity according to the desired color intensity; basic colors: white, black, blue, red, and yellow; special colors available on request.

Packing units: 100-ml PE bottle, 20 bottles per box



### FENOPREN FD black

Special adhesive and rubber filler for coating and sealing beveled surfaces on glazing sealants (preferably pre-bonded using FENOPLAST® CA 5 instantaneous adhesive).

Packing units: 20 tubes per box



### FENOPLAST® CA 5 special superfast adhesive

For sealing profiles made from EPDM (APTK)

- low-viscosity CA 5
- high-viscosity CA 5 - VL

Packing units: 20-gram and 50-gram, 20 per box



### FENOPUR® 125

One-component polyurethane-based adhesive and sealant. Moisture curing.

For use in:

- metal and plastic processing
- ventilation and air-conditioning technology
- car-body, container, and vehicle construction

Packing units: 310-ml metal cartridge, 12 cartridges per box



### FENOPUR® 915

Quick-acting one-component assembly adhesive, polyurethane-based, solvent-free, for a wide range of applications; especially suitable for sticking insulating and multiple-layer materials, composite sheets with rigid polystyrene (PS) foam.

Packing units: 1.250gr.-ml PE bottle, 15 bottles per box;  
larger quantity containers available on request



### FENOSOL® hardware spray

Special servicing and maintenance agent for the hardware fittings and mechanical parts of windows and doors.

Product advantages: FENOSOL® hardware spray does not run off. Smooth movement, reduced wear, and corrosion-proofing thanks to "MOS"

Packing units: 500-ml spray tin, 12 tins per box



### FENOSOL® special cleaning agents

Free from chlorinated hydrocarbons, therefore especially suitable for anodized, varnished, and powder-coated aluminum profile surfaces. The ELP system protects surfaces on a material-specific basis.

### FENOSOL® AL with ELP system

Cleaner for aluminum for use in assembly and production.

For general final cleaning stage and to remove marking aids, rubber remnants, traces of adhesive (still fresh, e.g. FENOPUR® DUETT and FENOPLAST® AL).

Packing units: 1-liter can with metal pourer, 10 cans per box



Packing units: 10-liter metal can, 30-liter metal can  
also available in drums on request



### FENOSOFT special cleaning and conserving agents

Especially user-friendly because odorless, non-combustible, and non-irritating for the skin; suitable for use in production and assembly; to remove marking aids, rubber remnants, traces of adhesive (still fresh).

Packing units: 1-liter can with metal pourer, 10 cans per box

### FENOSOFT special cleaning and conserving agents

Especially user-friendly because odorless, non-combustible, and non-irritating for the skin; suitable for use in production and assembly; to remove marking aids, rubber remnants, traces of adhesive (still fresh).

Packing units: 10-liter metal can, 30-liter metal can  
also available in drums on request



### FENOSOL® economy moistener

Safety container (DGMa) complies with specifications laid down by the German Trade Inspection Office.

Contents: approx. 1.8 liters



### FENOCLEAN

Special cleaning tissues (pure cellulose)  
for all surfaces.

Per pack: 2 rolls, approx. 1500 sheets, dispenser roller, wall-mounting



### FENOFLEX assembly spray

A useful aid when pulling in and fitting glazing and sealing profiles.

Packing units: 400-ml spray tin, 12 tins per box

Alternative: FENOFLEX without propellant in 1000-ml PE bottle



### The FENOSOL® program

- Maintenance
- Cleaning
- Servicing

### For doors and windows, made from

- hard PVC
- aluminum
- wood



MADE IN GERMANY

FENOSOL® sets - as gifts, show-room hand-outs, after-sales mementos, or advertising novelties; as of certain quantities, also with your own label, name, and corporate design. You are responsible for providing any statutory warnings, warranty, and product liability.

### FENOSOL® - MINI-set

Version for PVC - hard - white  
PVC - hard - decorative  
aluminum

Contents: intensive cleaner - 100 ml  
sealant after-care - 50 ml  
hardware spray - 20 ml (atomizer bottle without propellant)  
after-care instructions

Packing unit: 50 sets per box



### FENOSOL® - MAXI-set

Version for PVC - hard - white  
PVC - hard - decorative  
aluminum

Contents: intensive cleaner - 500 ml  
sealant after-care - 100 ml  
hardware spray - 100 ml  
cleaning tissue  
after-care instructions

Packing unit: 20 sets per box



**FENOSOL® - wood after-care set  
GLASURIT QUICK & EASY**

Contents: GLASURIT wood balsam - 100 ml  
 sealant after-care - 50 ml  
 hardware spray - 50 ml (atomizer bottle without propellant)  
 cleaning tissue  
 after-care instructions

Packing unit: 10 sets per box



**FENOSOL® - wood after-care set**

Contents: FENOSOL® wood balsam - 100 ml  
 sealant after-care - 50 ml  
 hardware spray - 50 ml (atomizer bottle without propellant)  
 cleaning tissue  
 after-care instructions

Packing unit: 20 sets per box



**FENOSOL® door set  
with professional door lock after-care**

Version for PVC - hard - white  
 PVC - hard - decorative  
 aluminum

Contents: intensive cleaner - 250 ml x 2  
 professional lock after-care - 50 ml (atomizer bottle without propellant)  
 after-care instructions

Packing unit: 20 sets per box



**Version for wood**

Contents: wood cleaner - 250 ml  
 wood balsam - 250 ml  
 professional lock after-care - 50 ml (atomizer bottle without propellant)  
 after-care instructions

Packing unit: 20 sets per box



**The FENOSOL® program**

- Maintenance
- Cleaning
- Servicing

**Individual items**

**FENOSOL® intensive cleaner**

Cleaning and after-care agent for doors, windows, and roller shutters made from white hard PVC.

**FENOSOL® decorative cleaner**

Cleaning and after-care agent for doors, windows, and roller shutters made from structured PVC, colored, foil-clad and coated (e.g. RENOLIT).

Packing units: 500-ml PE bottle  
 100-ml PE bottle  
 20 bottles per box  
 larger quantity containers available on request

**FENOSOL® AL emulsion**

Cleaning and after-care agent for doors, windows, and roller shutters made from aluminum in natural, anodized, powder-coated, or varnish finish. With FENOSOL® special cleaner just a light application ensures intensive cleaning, after-care, conservation, and reinforced anti-static.

**FENOSOL® intensive cleaner**

For PVC - hard - white  
 PVC - hard - decorative  
 aluminum

Available in single box with cleaning tissue

Packing units: 500-ml bottle in box with cleaning tissue, 20 per box  
 Individual items from the servicing sets, see price list







**MAKE THE MOST OF OUR EXPERIENCE AND OUR SERVICE!**

**THE CONCEPT FOR OUR JOINT SUCCESS**

**FENOPLAST® FÜGETECHNIK GMBH**  
**D-35764 Sinn • TEL 0049 27 72 / 575870 • FAX 0049 27 72 / 5758720**  
**[www.fenoplast.de](http://www.fenoplast.de) • [info@fenoplast.de](mailto:info@fenoplast.de)**